

Year 5 Annual Report
Massachusetts Small MS4 General Permit
Reporting Period: July 1, 2022-June 30, 2023

Please DO NOT attach any documents to this form. Instead, attach all requested documents to an email when submitting the form. Also ensure any websites included on this form are to publicly accessible sites

Unless otherwise noted, all fields are required to be filled out. If a field is left blank, it will be assumed the requirement or task has not been completed. Please ONLY report on activities between July 1, 2022 and June 30, 2023 unless otherwise requested.

Part I: Contact Information

Name of Municipality or Organization:

EPA NPDES Permit Number:

Primary MS4 Program Manager Contact Information

Name: Title:

Street Address Line 1:

Street Address Line 2:

City: State: Zip Code:

Email: Phone Number:

Stormwater Management Program (SWMP) Information

SWMP Location (publicly available web address):

Date SWMP was Last Updated:

If the SWMP is not available on the web please provide the physical address:

Part II: Self-Assessment

First, in the box below, select the impairment(s) and/or TMDL(s) that are applicable to your MS4. Make sure you are referring to the most recent EPA approved Section 303(d) Impaired Waters List which can be found here: <https://www.epa.gov/tmdl/region-1-impaired-waters-and-303d-lists-state>

Impairment(s)

Bacteria/Pathogens Chloride Nitrogen Phosphorus
 Solids/ Oil/ Grease (Hydrocarbons)/ Metals

TMDL(s)

In State: Assabet River Phosphorus Bacteria and Pathogen Cape Cod Nitrogen
 Charles River Watershed Phosphorus Lake and Pond Phosphorus

Out of State: Bacteria/Pathogens Metals Nitrogen Phosphorus

Clear Impairments and TMDLs

Next, check off all requirements below that have been completed. **By checking each box you are certifying that you have completed that permit requirement fully.** If you have not completed a requirement leave the box unchecked. Additional information will be requested in later sections.

Annual Requirements

Provided an opportunity for public participation in review and implementation of SWMP and complied with State Public Notice requirements

Kept records relating to the permit available for 5 years and made available to the public

The SSO inventory has been updated, including the status of mitigation and corrective measures implemented

- This is not applicable because we do not have sanitary sewer
- This is not applicable because we did not find any new SSOs
- The updated SSO inventory is attached to the email submission
- The updated SSO inventory can be found at the following publicly available website:

Updated system map due in year 2 as necessary

Provided training to employees involved in IDDE program within the reporting period

Properly stored and disposed of catch basin cleanings and street sweepings so they did not discharge to receiving waters

All curbed roadways were swept at least once within the reporting period

Enclosed all road salt storage piles or facilities and implemented winter road maintenance procedures to minimize the use of road salt

Implemented SWPPPs for all permittee owned or operated maintenance garages, public works yards, transfer stations, and other waste handling facilities

- Updated inventory of all permittee owned facilities as necessary
- O&M programs for all permittee owned facilities have been completed and updated as necessary
- Implemented all maintenance procedures for permittee owned facilities in accordance with O&M programs
- Implemented program for MS4 infrastructure maintenance to reduce the discharge of pollutants
- Inspected all permittee owned treatment structures (excluding catch basins)

Optional: If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

Bacteria/ Pathogens (Combination of Impaired Waters Requirements and TMDL Requirements as Applicable)

Annual Requirements

*Public Education and Outreach**

- Annual message was distributed encouraging the proper management of pet waste, including noting any existing ordinances where appropriate
- Permittee or its agents disseminated educational material to dog owners at the time of issuance or renewal of dog license, or other appropriate time
- Provided information to owners of septic systems about proper maintenance in any catchment that discharges to a water body impaired for bacteria
 - This is not applicable because there are no septic systems present

** Public education messages can be combined with other public education requirements as applicable (see Appendix H and F for more information)*

Optional: If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

Phosphorus (Combination of Impaired Waters Requirements and TMDL Requirements as Applicable)

Annual Requirements

*Public Education and Outreach**

- Distributed an annual message in the spring (April/May) encouraging the proper use and disposal of grass clippings and encouraging the proper use of slow-release and phosphorus-free fertilizers
- Distributed an annual message in the summer (June/July) encouraging the proper management of pet waste, including noting any existing ordinances where appropriate
- Distributed an annual message in the fall (August/September/October) encouraging the proper disposal of leaf litter

** Public education messages can be combined with other public education requirements as applicable (see Appendix H and F for more information)*

Good Housekeeping and Pollution Prevention for Permittee Owned Operations

Increased street sweeping frequency of all municipal owned streets and parking lots subject to Permit part 2.3.7.a.iii.(c) to a minimum of two times per year (spring and fall)

Structural BMPs

Completed the evaluation of all permittee owned properties identified as presenting retrofit

opportunities or areas for structural BMP installation under permit part 2.3.6.d or identified in the

Phosphorus Source Identification Report, including: *(select the items of the evaluation that have been completed below)*

Next planned infrastructure, resurfacing, or redevelopment activity planned for the property
(if applicable) OR planned retrofit date

Estimated cost of redevelopment or retrofit BMPs

Engineering and regulatory feasibility of redevelopment or retrofit BMPs

Completed a listing of planned structural BMPs and a plan and schedule for implementation

The BMP list and implementation schedule is attached to the email submission

The BMP list and implementation schedule can be found at the following publicly available website:

Any structural BMPs already existing or installed in the regulated area by the permittee or its agents

was tracked and the phosphorus removal by the BMP was estimated consistent with Attachment 3 to Appendix F. The BMP type, total area treated by the BMP, the design storage volume of the BMP, and the estimated phosphorus removed in mass per year by the BMP were documented.

No BMPs were installed

The above referenced BMP information is attached to the email submission

The above referenced BMP information can be found at the following publicly available website:

Total estimated phosphorus removed in **lbs/year** from the installed BMPs: **4.91**

Optional: If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

Street Sweeping - Streets were swept only once during Permit Year 5.

Solids, Oil and Grease (Hydrocarbons), or Metals

Annual Requirements

Good Housekeeping and Pollution Prevention for Permittee Owned Operations

Increased street sweeping frequency of all municipal owned streets and parking lots to a schedule that targets areas with potential for high pollutant loads

The street sweeping schedule is attached to the email submission

The street sweeping schedule can be found at the following publicly available website:

Included as an appendix in the SWMP Plan, available for download at: <https://www.lunenburgma.gov/boards-commissions-committees/stormwater-task-force>

Prioritized inspection and maintenance for catch basins to ensure that no sump shall be more than 50 percent full; Cleaned catch basins more frequently if inspection and maintenance activities indicated excessive sediment or debris loadings

Optional: If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

Increased Sweeping for High Pollutant Loads - This was determined not to be necessary for the Town as these areas are not observed to accumulate more sediment and debris than other areas within the Town.

Optional: Use the box below to provide any additional information you would like to share as part of your self-assessment:

Part III: Receiving Waters/Impaired Waters/TMDL

Have you made any changes to your lists of receiving waters, outfalls, or impairments since the NOI was submitted?

- Yes
- No

If yes, describe below, including any relevant impairments or TMDLs:

The Town has determined it is subject to the following additional TMDL and Impaired Waters requirements:

- Nashua River (MA81-05), bacteria impaired waters requirements (Appendix H, Part III)
- Lake Shirley (MA81122), turbidity impaired waters requirements (Appendix H, Part V)

The Town also updated its list of outfalls and receiving waters as new outfalls were found during the dry weather screening. The inspection results are attached to this annual report and a list and updated prioritization are also kept with the Town's IDDE Plan.

Part IV: Minimum Control Measures

Please fill out all of the metrics below. If applicable, include in the description who completed the task if completed by a third party.

MCM1: Public Education

Number of educational messages completed **during this reporting period:** 5

*Below, report on the educational messages completed **during this reporting period**. For the measurable goal(s) please describe the method/measures used to assess the overall effectiveness of the educational program.*

BMP:Video, ThinkBlue Massachusetts "Fowl Water"

Message Description and Distribution Method:

ThinkBlue Massachusetts "Fowl Water" video (<https://www.thinkbluemassachusetts.org/>) Advertisement on Facebook, Instagram, & YouTube.

Targeted Audience: Residents

Responsible Department/Parties: External Contractor - ThinkBlue

Measurable Goal(s):

Follow statewide "Think Blue" campaign on social media platforms. Note, Results of the statewide ThinkBlue campaign were not available prior to submitting this annual report.

Message Date(s):

Message Completed for: Appendix F Requirements Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes No

If yes, describe why the change was made:

BMP:Seasonal Messages, Town Meeting Warrant

Message Description and Distribution Method:

Two informational messages on lawn care and leaf litter collection were distributed via the Town Meeting warrant in the spring and fall. The warrant is mailed to every registered voter in town.

Targeted Audience: Residents

Responsible Department/Parties: Stormwater Task Force

Measurable Goal(s):

Distribute at least one message annually to all residential homes.

Message Date(s): Fall 2022 and Spring 2023

Message Completed for: Appendix F Requirements Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes No

If yes, describe why the change was made:

BMP:Brochure, Lawn Care and Leaf Litter Collection

Message Description and Distribution Method:

Distribute targeted lawn care flyer and leaf litter collection flyer on the website to meet phosphorous water quality limited waterbody requirements. 25 hardcopy flyers were also placed at the Public Library and 9 were collected over a 2 month period.

Targeted Audience: Residents, Business/Commercial/Institution

Responsible Department/Parties: Stormwater Task Force

Measurable Goal(s):

Posted seasonal messages on the Stormwater Task Force website and at the Public Library for collection.

Message Date(s): April, 2023

Message Completed for: Appendix F Requirements Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes No

If yes, describe why the change was made:

BMP:Brochure, Pet Waste Collection

Message Description and Distribution Method:

Posted a flyer on pet waste management on the Stormwater Task Force website and distributed through Facebook in the summer to meet phosphorous water quality limited waterbody requirements.

Targeted Audience: Residents

Responsible Department/Parties: Stormwater Task Force

Measurable Goal(s):

Posted a flyer on pet waste management on the Stormwater Task Force website and distributed through Facebook.

Message Date(s): June 13, 2023

Message Completed for: Appendix F Requirements Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes No

If yes, describe why the change was made:

BMP:Social Media, Fall Leaf Litter Guide

Message Description and Distribution Method:

Distribute targeted leaf litter message on the Stormwater Task Force website and distributed through Facebook in the fall to meet phosphorous water quality limited waterbody requirements.

Targeted Audience: Residents, Business/Commercial/Institution

Responsible Department/Parties: Stormwater Task Force

Measurable Goal(s):

Distribute seasonal messages via Facebook

Message Date(s): Fall 2022 and Spring 2023

Message Completed for: Appendix F Requirements Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes No

If yes, describe why the change was made:

BMP:Social Media, Pet Waste Flyer

Message Description and Distribution Method:

Distributed through the Town's Facebook Page to meet phosphorous water quality limited waterbody requirements.

Targeted Audience: Residents

Responsible Department/Parties: DPW

Measurable Goal(s):

Posted a flyer on pet waste management on both Town and DPW Facebook pages.

Message Date(s): June 15, 2023

Message Completed for: Appendix F Requirements Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes No

If yes, describe why the change was made:

[Add an Educational Message](#)

MCM2: Public Participation

Describe the opportunity provided for public involvement in the development of the Stormwater Management Program (SWMP) **during this reporting period**:

SWMP Plan for Download - The Town has posted the SWMP Plan and other relevant information on Town website along with contact information to allow for public comment.

Was this opportunity different than what was proposed in your NOI? Yes No

Describe any other public involvement or participation opportunities conducted **during this reporting period**:

MCM3: Illicit Discharge Detection and Elimination (IDDE)

Sanitary Sewer Overflows (SSOs)

Check off the box below if the statement is true.

This SSO section is NOT applicable because we DO NOT have sanitary sewer

*Below, report on the number of SSOs identified in the MS4 system and removed **during this reporting period**.*

Number of SSOs identified: 1

Number of SSOs removed: 1

MS4 System Mapping

Optional: Provide additional status information regarding your map:

All known outfalls, stormwater BMPs, and receiving waterbodies with impairments have been mapped to date. Initial catchment delineations have also been completed based on topographic mapping and available stormwater system information. Mapping of open channel conveyances and any newly located outfalls is ongoing. Mapping interconnections with other MS4s (e.g. DOT) is ongoing, and it is expected that this will continue as part of DOT's own mapping efforts to be completed under a future TS4 permit.

The Town Has identified a number of data gaps in its drainage mapping (e.g., catch basins without piping, disconnected drainage networks, etc.) and has begun investigating these through field efforts. Any new outfalls/interconnections discovered through this process will be mapped and screened for dry weather flow.

Screening of Outfalls/Interconnections

If conducted, please submit any outfall monitoring results from this reporting period. Outfall monitoring results should include the date, outfall/interconnection identifier, location, weather conditions at time of sampling, precipitation in previous 48 hours, field screening parameter results, and results from all analyses. Please also include the updated inventory and ranking of outfalls/interconnections based on monitoring results.

- No outfalls were inspected
- The above referenced outfall screening data is attached to the email submission
- The above referenced outfall screening data can be found at the following publicly available website:

*Below, report on the number of outfalls/interconnections screened **during this reporting period**.*

Number of outfalls screened: 6

*Below, report on the percent of outfalls/interconnections screened **to date**.*

Percent of outfalls screened: 100

Optional: Provide additional information regarding your outfall/interconnection screening:

As/if additional outfalls are located, they are screened during dry weather for potential illicit discharges.

Catchment Investigations

If conducted, please submit all data collected during this reporting period as part of the dry and wet weather investigations. Also include the presence or absence of System Vulnerability Factors for each catchment.

- No catchment investigations were conducted
- The catchment investigation data is attached to the email submission
- The catchment investigation data can be found at the following publicly available website:

*Below, report on the number of catchment investigations completed **during this reporting period**.*

Number of catchment investigations completed this reporting period: 0

*Below, report on the percent of catchments investigated **to date**.*

Percent of total catchments investigated:

Optional: Provide any additional information for clarity regarding the catchment investigations below:

The Town is assessing catchment investigation status during Year 6. Many catchments do not have Key Junction Manholes and/or System Vulnerability Factors; and thus inspections are complete as outfalls have been screened during dry weather.

IDDE Progress

If illicit discharges were found, please submit a document describing work conducted over this reporting period, and cumulative to date, including location source; description of the discharge; method of discovery; date of discovery; and date of elimination, mitigation, or enforcement OR planned corrective measures and schedule of removal.

- No illicit discharges were found
- The illicit discharge removal report is attached to the email submission
- The illicit discharge removal report can be found at the following publicly available website:

*Below, report on the number of illicit discharges identified and removed, along with the volume of sewage removed **during this reporting period**.*

Number of illicit discharges identified:

Number of illicit discharges removed:

Estimated volume of sewage removed: gallons/day

*Below, report on the total number of illicit discharges identified and removed to date. At a minimum, report on the number of illicit discharges identified and removed **since the effective date of the permit (July 1, 2018)**.*

Total number of illicit discharges identified:

Total number of illicit discharges removed:

Optional: Provide any additional information for clarity regarding illicit discharges identified, removed, or planned to be removed below:

Employee Training

Describe the frequency and type of employee training conducted **during this reporting period**:

No training was performed during Permit Year 5.

MCM4: Construction Site Stormwater Runoff Control

*Below, report on the construction site plan reviews, inspections, and enforcement actions completed **during this reporting period**.*

Number of site plan reviews completed: 8

Number of inspections completed: 14

Number of enforcement actions taken: 0

Optional: Enter any additional information relevant to construction site plan reviews, inspections, and enforcement actions:

MCM5: Post-Construction Stormwater Management in New Development and Redevelopment

Ordinance or Regulatory Mechanism

Date update was completed (due in year 3): November 2020

Website of ordinance or regulatory mechanism: Bylaws: Chapter 204, <https://ecode360.com/33599550>

As-built Drawings

*Below, report on the number of as-built drawings received **during this reporting period**.*

Number of as-built drawings received: 8

Optional: Enter any additional information relevant to the submission of as-built drawings:

Street Design and Parking Lots Report

Below, describe any changes made or planned to be made to local regulations and guidelines based on the report completed in Year 4:

No changes to date. To be determined pending discussions between various departments. Estimated June 30, 2025.

Green Infrastructure Report

Below, describe progress towards making green infrastructure practices allowable based on the report completed in Year 4:

No changes to date. To be determined pending discussions between various departments. Estimated June 30, 2025.

Retrofit Properties Inventory

Below, list remaining permittee-owned properties that could be modified or retrofitted with BMPs to mitigate impervious areas (must maintain a minimum of 5 sites in inventory until less than 5 sites remain):

Lunenburg Public Library: Recommend the enhancement of the drainage swale north of the library, creating a more defined and armored swale. Asphalt curbing with curb cuts should be added along the south side of the Elementary School driveway. Riprap swales will transport water from the roadway to the main swale. Grassed basin should be dug out to allow for additional storage.

Historical District Town Common: Recommend the installation of a rain garden or infiltration basin on the south western corner of the common. Catch basin(s) installed along the eastern edge of Leominster Road will transport runoff to the rain garden. An overflow structure will allow water to flow into an existing catch basin on Leominster Road during high flow events.

Boys and Girls Club of Lunenburg: Recommend the replacement of the catch basin located in the northeastern corner of the southern parking area with a manhole. Install curb cut and riprap swale to small rain garden in the grassed area west of the building. Rain garden overflow structure will connect to new manhole and follow existing drainage to the street.

Lunenburg Historical Society: Recommend the pave and regrade of the parking area to promote positive drainage to the proposed infiltration basin, north of the building. The installation of a catch basin will allow water to enter the basin. A swale northwest of the building will transport any runoff from the paved driveway and building to the BMP.

Lunenburg Middle High School: Recommend the installation of rain gardens throughout grassed areas where

feasible in order to treat runoff prior to entering drainage system. Recommend repairing erosion downstream of school outfall.

Below, list all properties that have been modified or retrofitted with BMPs to mitigate impervious area that were inventoried as part of 2.3.6.d of the permit. Non-MS4 owned properties that have been modified or retrofitted with BMPs to mitigate impervious area may also be listed, but must be indicated as non-MS4.

No properties have been modified or retrofitted with BMPs to date.

MCM6: Good Housekeeping

Catch Basin Cleaning

*Below, report on the number of catch basins inspected and cleaned, along with the total volume of material removed from the catch basins **during this reporting period**.*

Number of catch basins inspected: 152

Number of catch basins cleaned: 152

Total volume or mass of material removed from all catch basins: 49.25 cubic yards

Below, report on the total number of catch basins in the MS4 system.

Total number of catch basins: 918

If applicable:

Report on the actions taken if a catch basin sump is more than 50% full during two consecutive routine inspections/cleaning events:

Street Sweeping

*Report on street sweeping completed **during this reporting period** using one of the three metrics below.*

Number of miles cleaned: 31.46

Volume of material removed: 369 cubic yards

Weight of material removed: [Select Units]

Stormwater Pollution Prevention Plan (SWPPP)

*Below, report on the number of site inspections for facilities that require a SWPPP completed **during this reporting period**.*

Number of site inspections completed: 0

Describe any corrective actions taken at a facility with a SWPPP:

Additional Information**Monitoring or Study Results**

Results from any other stormwater or receiving water quality monitoring or studies conducted during the reporting period not otherwise mentioned above, where the data is being used to inform permit compliance or permit effectiveness must be attached.

- Not applicable
- The results from additional reports or studies are attached to the email submission
- The results from additional reports or studies can be found at the following publicly available website(s):

If such monitoring or studies were conducted on your behalf or if monitoring or studies conducted by other entities were reported to you, a brief description of the type of information gathered or received shall be described below:

Additional Information

Optional: Enter any additional information relevant to your stormwater management program implementation during the reporting period. Include any BMP modifications made by the MS4 if not already discussed above. If any of the above year 5 requirements could not be completed due to the impacts of COVID-19, please identify the requirement that could not be completed, any actions taken to attempt to complete the requirement, and reason the requirement could not be completed below:

Activities Planned for Next Reporting Period

Please confirm that your SWMP has been, or will be, updated to comply with all applicable permit requirements including but not limited to the year 6 requirements summarized below. (Note: impaired waters and TMDL requirements are not listed below)

Yes, I agree

Annual Requirements

- Annual report submitted and available to the public
- Annual opportunity for public participation in review and implementation of SWMP
- Keep records relating to the permit available for 5 years and make available to the public
- Properly store and dispose of catch basin cleanings and street sweepings so they do not discharge to receiving waters
- Annual training to employees involved in IDDE program
- Update inventory of all known locations where SSOs have discharged to the MS4
- Continue public education and outreach program
- Update outfall and interconnection inventory and priority ranking and include data collected in connection with the dry weather screening and other relevant inspections conducted
- Implement IDDE program
- Review site plans of construction sites as part of the construction stormwater runoff control program
- Conduct site inspection of construction sites as necessary
- Inspect and maintain stormwater treatment structures
- Log catch basins cleaned or inspected
- Sweep all curbed streets at least annually
- Continue investigations of catchments associated with Problem Outfalls
- Implemented SWPPPs for all permittee owned or operated maintenance garages, public works yards, transfer stations, and other waste handling facilities
- Review inventory of all permittee owned facilities in the categories of parks and open space, buildings and facilities, and vehicles and equipment; update if necessary
- Review O&M programs for all permittee owned facilities; update if necessary
- Implement all maintenance procedures for permittee owned facilities in accordance with O&M programs
- Implement program for MS4 infrastructure maintenance to reduce the discharge of pollutants
- Enclose all road salt storage piles or facilities and implemented winter road maintenance procedures to minimize the use of road salt
- Review as-built drawings for new and redevelopment to ensure compliance with post construction bylaws, regulations, or regulatory mechanism consistent with permit requirements
- Inspect all permittee owned treatment structures (excluding catch basins)
- Identify additional permittee-owned properties that could potentially be modified or retrofitted with BMPs to reduce impervious areas so that the permittee maintains a minimum of 5 sites in their inventory, until such a time when the permittee has less than 5 sites remaining

Provide any additional details on activities planned for permit year 6 below:


The Town has undertaken a comprehensive asset management program. In part, this program will complete a comprehensive inventory of all stormwater infrastructure, including catch basins, manholes, outfalls, and pipes to assess condition and elevations throughout the MS4 area. This project is ongoing into Permit Year 6.



Part V: Certification of Small MS4 Annual Report 2023

40 CFR 144.32(d) Certification

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, I certify that the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name:	<input type="text" value="Heather Lemieux"/>	Title:	<input type="text" value="Town Manager"/>
Signature:			
	<small>[Signature may be a duly authorized representative]</small>		
	Date:	<input type="text" value="9/26/23"/>	