

Year 4 Annual Report
Massachusetts Small MS4 General Permit
Reporting Period: July 1, 2021-June 30, 2022

Please DO NOT attach any documents to this form. Instead, attach all requested documents to an email when submitting the form

Unless otherwise noted, all fields are required to be filled out. If a field is left blank, it will be assumed the requirement or task has not been completed. Please ONLY report on activities between July 1, 2021 and June 30, 2022 unless otherwise requested.

Part I: Contact Information

Name of Municipality or Organization:

EPA NPDES Permit Number:

Primary MS4 Program Manager Contact Information

Name: Title:

Street Address Line 1:

Street Address Line 2:

City: State: Zip Code:

Email: Phone Number:

Stormwater Management Program (SWMP) Information

SWMP Location (web address):

Date SWMP was Last Updated:

If the SWMP is not available on the web please provide the physical address:

Part II: Self-Assessment

First, in the box below, select the impairment(s) and/or TMDL(s) that are applicable to your MS4. Make sure you are referring to the most recent EPA approved Section 303(d) Impaired Waters List which can be found here: <https://www.epa.gov/tmdl/region-1-impaired-waters-and-303d-lists-state>

Impairment(s)

Bacteria/Pathogens Chloride Nitrogen Phosphorus
 Solids/ Oil/ Grease (Hydrocarbons)/ Metals

TMDL(s)

In State: Assabet River Phosphorus Bacteria and Pathogen Cape Cod Nitrogen
 Charles River Watershed Phosphorus Lake and Pond Phosphorus

Out of State: Bacteria/Pathogens Metals Nitrogen Phosphorus

Clear Impairments and TMDLs

Next, check off all requirements below that have been completed. **By checking each box you are certifying that you have completed that permit requirement fully.** If you have not completed a requirement leave the box unchecked. Additional information will be requested in later sections.

Year 4 Requirements

Developed a report assessing current street design and parking lot guidelines and other local requirements within the municipality that affect the creation of impervious cover, made it available as part of the SWMP, and:

No updates were recommended
 Updates were recommended. The anticipated date or date of completion for updates is/was:

To be determined pending discussions between various departments. Estimated June 30, 2025.

Developed a report assessing local regulations to determine the feasibility of making green infrastructure practices allowable when appropriate site conditions exist, made it available as part of the SWMP, and:

No updates were recommended
 Updates were recommended. The anticipated date or date of completion for updates is/was:

To be determined pending discussions between various departments. Estimated June 30, 2025.

Identified a minimum of 5 permittee-owned properties that could potentially be modified or retrofitted with BMPs to reduce impervious cover

Optional: If you would like to describe progress made on any incomplete requirements listed above, provide an update on previous incomplete milestones, or provide any additional details, please use the box below:

Annual Requirements

- Provided an opportunity for public participation in review and implementation of SWMP and complied with State Public Notice requirements
- Kept records relating to the permit available for 5 years and made available to the public
- The SSO inventory has been updated, including the status of mitigation and corrective measures implemented
 - This is not applicable because we do not have sanitary sewer
 - This is not applicable because we did not find any new SSOs
 - The updated SSO inventory is attached to the email submission
 - The updated SSO inventory can be found at the following website:
- Updated system map due in year 2 as necessary
- Provided training to employees involved in IDDE program within the reporting period
- Properly stored and disposed of catch basin cleanings and street sweepings so they did not discharge to receiving waters
- All curbed roadways were swept at least once within the reporting period
- Enclosed all road salt storage piles or facilities and implemented winter road maintenance procedures to minimize the use of road salt
- Implemented SWPPPs for all permittee owned or operated maintenance garages, public works yards, transfer stations, and other waste handling facilities
- Updated inventory of all permittee owned facilities as necessary
- O&M programs for all permittee owned facilities have been completed and updated as necessary
- Implemented all maintenance procedures for permittee owned facilities in accordance with O&M programs
- Implemented program for MS4 infrastructure maintenance to reduce the discharge of pollutants
- Inspected all permittee owned treatment structures (excluding catch basins)

Optional: If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

Bacteria/ Pathogens (Combination of Impaired Waters Requirements and TMDL Requirements as Applicable)Annual Requirements*Public Education and Outreach**

- Annual message was distributed encouraging the proper management of pet waste, including noting any existing ordinances where appropriate
- Permittee or its agents disseminated educational material to dog owners at the time of issuance or renewal of dog license, or other appropriate time

- Provided information to owners of septic systems about proper maintenance in any catchment that discharges to a water body impaired for bacteria

** Public education messages can be combined with other public education requirements as applicable (see Appendix H and F for more information)*

Optional: If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

Phosphorus (Combination of Impaired Waters Requirements and TMDL Requirements as Applicable)

Annual Requirements

*Public Education and Outreach**

- Distributed an annual message in the spring (April/May) encouraging the proper use and disposal of grass clippings and encouraging the proper use of slow-release and phosphorus-free fertilizers
- Distributed an annual message in the summer (June/July) encouraging the proper management of pet waste, including noting any existing ordinances where appropriate
- Distributed an annual message in the fall (August/September/October) encouraging the proper disposal of leaf litter

** Public education messages can be combined with other public education requirements as applicable (see Appendix H and F for more information)*

Good Housekeeping and Pollution Prevention for Permittee Owned Operations

- Increased street sweeping frequency of all municipal owned streets and parking lots subject to Permit part 2.3.7.a.iii.(c) to a minimum of two times per year (spring and fall)

Phosphorus Source Identification Report

- Completed the Phosphorus Source Identification Report

- The Phosphorus Sourchace Identification Report is attached to the email submission
- The Phosphorus Source Identification Report can be found at the following website:

Potential structural BMPs

Any structural BMPs already existing or installed in the regulated area by the permittee or its agents was tracked and the phosphorus removal by the BMP was estimated consistent with Attachment 3 to

- Appendix F. The BMP type, total area treated by the BMP, the design storage volume of the BMP and the estimated phosphorus removed in mass per year by the BMP were documented.

- The BMP information is attached to the email submission
- The BMP information can be found at the following website:

BMP pollutant removals are included in the attached Phosphorus Source Identification Report.

Optional: If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

Street Sweeping - Streets were swept only once during Permit Year 4.

Solids, Oil and Grease (Hydrocarbons), or Metals

Annual Requirements

Good Housekeeping and Pollution Prevention for Permittee Owned Operations

- Increased street sweeping frequency of all municipal owned streets and parking lots to a schedule that targets areas with potential for high pollutant loads
 - The street sweeping schedule is attached to the email submission
 - The street sweeping schedule can be found at the following website:

Included as an appendix in the SWMP Plan, available for download at: <https://www.lunenburgma.gov/boards-commissions-committees/stormwater-task-force>

Prioritized inspection and maintenance for catch basins to ensure that no sump shall be more than 50

- percent full; Cleaned catch basins more frequently if inspection and maintenance activities indicated excessive sediment or debris loadings

Optional: If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

Increased Sweeping for High Pollutant Loads - This was determined not to be necessary for the Town as these areas are not observed to accumulate more sediment and debris than other areas within the Town.

Optional: Use the box below to provide any additional information you would like to share as part of your self-assessment:

Part III: Receiving Waters/Impaired Waters/TMDL

Have you made any changes to your lists of receiving waters, outfalls, or impairments since the NOI was submitted?

- Yes
- No

If yes, describe below, including any relevant impairments or TMDLs:

The Town has determined it is subject to the following additional TMDL and Impaired Waters requirements:

- Nashua River (MA81-05), bacteria impaired waters requirements (Appendix H, Part III)
- Lake Shirley (MA81122), turbidity impaired waters requirements (Appendix H, Part V)

The Town also updated its list of outfalls and receiving waters as new outfalls were found during the dry weather screening. The inspection results are attached to this annual report and a list and updated prioritization are also kept with the Town's IDDE Plan.

Part IV: Minimum Control Measures

Please fill out all of the metrics below. If applicable, include in the description who completed the task if completed by a third party.

MCM1: Public Education

Number of educational messages completed **during this reporting period**: 5

*Below, report on the educational messages completed **during this reporting period**. For the measurable goal(s) please describe the method/measures used to assess the overall effectiveness of the educational program.*

BMP: Video, ThinkBlue Massachusetts "Fowl Water"

Message Description and Distribution Method:

ThinkBlue Massachusetts "Fowl Water" video (<https://www.thinkbluemassachusetts.org/>) Advertisement on Facebook, Instagram, & YouTube.

Targeted Audience: Residents

Responsible Department/Parties: External Contractor - ThinkBlue

Measurable Goal(s):

Follow statewide "Think Blue" campaign on social media platforms. Social media impressions for the town totaled 16,638 from Town residents.

Message Date(s): May 31st to June 17th, 2022

Message Completed for: Appendix F Requirements Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes No

If yes, describe why the change was made:

BMP: Lawn Care and What Citizens Can Do

Message Description and Distribution Method:

Information on lawn care and what citizens can do to limit stormwater impact were placed in the Town Meeting Warrant which is mailed to every registered voter in town.

Targeted Audience: Residents

Responsible Department/Parties: Stormwater Task Force

Measurable Goal(s):

Distribute one message annually to all residential homes.

Message Date(s): April 2022

Message Completed for: Appendix F Requirements Appendix H Requirements Was this message different than what was proposed in your NOI? Yes No

If yes, describe why the change was made:

BMP: Brochure, Fertilizers and Lawn Care

Message Description and Distribution Method:

Distribute targeted fertilizer application and lawn care flyer on the website to meet phosphorus water quality limited waterbody requirements. 15 hardcopy flyers were also placed at the Public Library and 9 were collected over a 2 month period.

Targeted Audience: Residents, Business/Commercial/Institution

Responsible Department/Parties: Stormwater Task Force

Measurable Goal(s):

Posted a flyer on leaf litter disposal on the Stormwater Task Force website and placed at the Public Library for collection.

Message Date(s): March 22, 2022 - May 2022

Message Completed for: Appendix F Requirements Appendix H Requirements Was this message different than what was proposed in your NOI? Yes No

If yes, describe why the change was made:

BMP: Brochure, Pet Waste Collection

Message Description and Distribution Method:

Posted a flyer on pet waste management on the Stormwater Task Force website and distributed through Facebook in the summer to meet phosphorus water quality limited waterbody requirements.

Targeted Audience: Residents

Responsible Department/Parties: Stormwater Task Force

Measurable Goal(s):

Posted a flyer on pet waste management on the Stormwater Task Force website and distributed through Facebook.

Message Date(s): August 2021

Message Completed for: Appendix F Requirements Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes No

If yes, describe why the change was made:

BMP: Brochure, Fall Leaf Litter Guide

Message Description and Distribution Method:

Distribute targeted leaf litter message on the Stormwater Task Force website and distributed through Facebook in the fall to meet phosphorus water quality limited waterbody requirements.

Targeted Audience: Residents, Business/Commercial/Institution

Responsible Department/Parties: Stormwater Task Force

Measurable Goal(s):

Posted a flyer on leaf litter disposal on the Stormwater Task Force website and distributed through Facebook.

Message Date(s): Fall 2021

Message Completed for: Appendix F Requirements Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes No

If yes, describe why the change was made:

Add an Educational Message

MCM2: Public Participation

Describe the opportunity provided for public involvement in the development of the Stormwater Management Program (SWMP) **during this reporting period**:

SWMP Plan for Download - The Town has posted the SWMP Plan and other relevant information on Town website along with contact information to allow for public comment.

Was this opportunity different than what was proposed in your NOI? Yes No

Describe any other public involvement or participation opportunities conducted **during this reporting period**:

The SWTF appeared at the Select Board meeting on 8 February 2022 to provide an update.

MCM3: Illicit Discharge Detection and Elimination (IDDE)

Sanitary Sewer Overflows (SSOs)

Check off the box below if the statement is true.

This SSO section is NOT applicable because we DO NOT have sanitary sewer

*Below, report on the number of SSOs identified in the MS4 system and removed **during this reporting period**.*

Number of SSOs identified: 0

Number of SSOs removed: 0

MS4 System Mapping

Optional: Provide additional status information regarding your map:

All known outfalls, stormwater BMPs, and receiving waterbodies with impairments have been mapped to date. Initial catchment delineations have also been completed based on topographic mapping and available stormwater system information. Mapping of open channel conveyances and any newly located outfalls is ongoing. Mapping interconnections with other MS4s (e.g. DOT) is ongoing, and it is expected that this will continue as part of DOT's own mapping efforts to be completed under a future TS4 permit.

The Town has identified a number of data gaps in its drainage mapping (e.g., catch basins without piping, disconnected drainage networks, etc.) and has begun investigating these through field efforts. Any new outfalls/interconnections discovered through this process will be mapped and screened for dry weather flow.

Screening of Outfalls/Interconnections

If conducted, please submit any outfall monitoring results from this reporting period. Outfall monitoring results should include the date, outfall/interconnection identifier, location, weather conditions at time of sampling, precipitation in previous 48 hours, field screening parameter results, and results from all analyses. Please also include the updated inventory and ranking of outfalls/interconnections based on monitoring results.

- No outfalls were inspected
- The outfall screening data is attached to the email submission
- The outfall screening data can be found at the following website:

*Below, report on the number of outfalls/interconnections screened **during this reporting period**.*

Number of outfalls screened: 66

Below, report on the percent of outfalls/interconnections screened to date.

Percent of outfalls screened: 100

Optional: Provide additional information regarding your outfall/interconnection screening:

A total of 73 previously mapped outfall structures were attempted to be screened during Permit Year 4. Of these structures, 6 were determined not to exist, 1 was determined to not be an outfall, 4 were determined to be interconnections, and 62 were determined to be outfalls. Of the 62 outfalls, 44 were located and screened directly for potential illicit discharges, and 18 were screened at an upgradient structure. Only 8 were flowing, none of which met the criteria for highly likely to contain illicit discharges from sanitary sources sources. One outfall exhibited a strong sewage smell from an upstream catch basin.

Catchment Investigations

If conducted, please submit all data collected during this reporting period as part of the dry and wet weather investigations. Also include the presence or absence of System Vulnerability Factors for each catchment.

- No catchment investigations were conducted
- The catchment investigation data is attached to the email submission
- The catchment investigation data can be found at the following website:
[Redacted]

Below, report on the number of catchment investigations completed during this reporting period.

Number of catchment investigations completed this reporting period: 0

Below, report on the percent of catchments investigated to date.

Percent of total catchments investigated: 0

Optional: Provide any additional information for clarity regarding the catchment investigations below:
[Redacted]

IDDE Progress

If illicit discharges were found, please submit a document describing work conducted over this reporting period, and cumulative to date, including location source; description of the discharge; method of discovery; date of discovery; and date of elimination, mitigation, or enforcement OR planned corrective measures and schedule of removal.

- No illicit discharges were found
- The illicit discharge removal report is attached to the email submission
- The illicit discharge removal report can be found at the following website:
[Redacted]

Below, report on the number of illicit discharges identified and removed, along with the volume of sewage removed during this reporting period.

Number of illicit discharges identified: 0

Number of illicit discharges removed: 0

Estimated volume of sewage removed: 0 gallons/day

Below, report on the total number of illicit discharges identified and removed to date. At a minimum, report on the number of illicit discharges identified and removed since the effective date of the permit (July 1, 2018).

Total number of illicit discharges identified: 0

Total number of illicit discharges removed: 0

Optional: Provide any additional information for clarity regarding illicit discharges identified, removed, or planned to be removed below:

Employee Training

Describe the frequency and type of employee training conducted **during this reporting period**:

MCM4: Construction Site Stormwater Runoff Control

*Below, report on the construction site plan reviews, inspections, and enforcement actions completed **during this reporting period**.*

Number of site plan reviews completed: 6

Number of inspections completed: 9

Number of enforcement actions taken: 0

Optional: Enter any additional information relevant to construction site plan reviews, inspections, and enforcement actions:

MCM5: Post-Construction Stormwater Management in New Development and Redevelopment

Ordinance or Regulatory Mechanism

Date update was completed (due in year 3): November 2020

As-built Drawings

*Below, report on the number of as-built drawings received **during this reporting period**.*

Number of as-built drawings received: 0

Optional: Enter any additional information relevant to the submission of as-built drawings:

Retrofit Properties Inventory

Below, list the permittee-owned properties that could be modified or retrofitted with BMPs to mitigate impervious areas (at least 5):

Lunenburg Public Library: Recommend the enhancement of the drainage swale north of the library, creating a more defined and armored swale. Asphalt curbing with curb cuts should be added along the south side of the Elementary School driveway. Riprap swales will transport water from the roadway to the main swale. Grassed basin should be dug out to allow for additional storage.

Historical District Town Common: Recommend the installation of a rain garden or infiltration basin on the south western corner of the common. Catch basin(s) installed along the eastern edge of Leominster Road will transport runoff to the rain garden. An overflow structure will allow water to flow into an existing catch basin on Leominster Road during high flow events.

Boys and Girls Club of Lunenburg: Recommend the replacement of the catch basin located in the northeastern corner of the southern parking area with a manhole. Install curb cut and riprap swale to small rain garden in the grassed area west of the building. Rain garden overflow structure will connect to new manhole and follow existing drainage to the street.

Lunenburg Historical Society: Recommend the pave and regrade of the parking area to promote positive drainage to the proposed infiltration basin, north of the building. The installation of a catch basin will allow water to enter the basin. A swale northwest of the building will transport any runoff from the paved driveway and building to the BMP.

Lunenburg Middle High School: Recommend the installation of rain gardens throughout grassed areas where feasible in order to treat runoff prior to entering drainage system. Recommend repairing erosion downstream of school outfall.

MCM6: Good Housekeeping

Catch Basin Cleaning

*Below, report on the number of catch basins inspected and cleaned, along with the total volume of material removed from the catch basins **during this reporting period**.*

Number of catch basins inspected: 208

Number of catch basins cleaned: 208

Total volume or mass of material removed from all catch basins: 116 cubic yards

Below, report on the total number of catch basins in the MS4 system.

Total number of catch basins: 918

If applicable:

Report on the actions taken if a catch basin sump is more than 50% full during two consecutive routine inspections/cleaning events:

Street Sweeping

*Report on street sweeping completed **during this reporting period** using one of the three metrics below.*

Number of miles cleaned: 15

Volume of material removed: 102 cubic yards

Weight of material removed: [Select Units]

Stormwater Pollution Prevention Plan (SWPPP)

*Below, report on the number of site inspections for facilities that require a SWPPP completed **during this reporting period**.*

Number of site inspections completed: 0

Describe any corrective actions taken at a facility with a SWPPP:

Additional Information

Monitoring or Study Results

Results from any other stormwater or receiving water quality monitoring or studies conducted during the reporting period not otherwise mentioned above, where the data is being used to inform permit compliance or permit effectiveness must be attached.

- Not applicable
- The results from additional reports or studies are attached to the email submission
- The results from additional reports or studies can be found at the following website(s):

If such monitoring or studies were conducted on your behalf or if monitoring or studies conducted by other entities were reported to you, a brief description of the type of information gathered or received shall be described below:

Additional Information

Optional: Enter any additional information relevant to your stormwater management program implementation during the reporting period. Include any BMP modifications made by the MS4 if not already discussed above:

COVID-19 Impacts

Optional: If any of the above year 4 requirements could not be completed due to the impacts of COVID-19, please identify the requirement that could not be completed, any actions taken to attempt to complete the requirement, and reason the requirement could not be completed below:

COVID has impacted the Town through the limiting of larger public gatherings over the past year. This has limited the ability of the SWTF to have face-to-face contact with a wider audience that may not be receiving the messaging through digital platforms or public meetings.

Activities Planned for Next Reporting Period

Please confirm that your SWMP has been, or will be, updated to comply with all applicable permit requirements including but not limited to the year 5 requirements summarized below. (Note: impaired waters and TMDL requirements are not listed below)

Yes, I agree

Annual Requirements

- Annual report submitted and available to the public
- Annual opportunity for public participation in review and implementation of SWMP
- Keep records relating to the permit available for 5 years and make available to the public
- Properly store and dispose of catch basin cleanings and street sweepings so they do not discharge to receiving waters
- Annual training to employees involved in IDDE program
- Update inventory of all known locations where SSOs have discharged to the MS4
- Continue public education and outreach program
- Update outfall and interconnection inventory and priority ranking and include data collected in connection with the dry weather screening and other relevant inspections conducted
- Implement IDDE program
- Review site plans of construction sites as part of the construction stormwater runoff control program
- Conduct site inspection of construction sites as necessary
- Inspect and maintain stormwater treatment structures
- Log catch basins cleaned or inspected
- Sweep all curbed streets at least annually
- Continue investigations of catchments associated with Problem Outfalls
- Implemented SWPPPs for all permittee owned or operated maintenance garages, public works yards, transfer stations, and other waste handling facilities
- Review inventory of all permittee owned facilities in the categories of parks and open space, buildings and facilities, and vehicles and equipment; update if necessary
- Review O&M programs for all permittee owned facilities; update if necessary
- Implement all maintenance procedures for permittee owned facilities in accordance with O&M programs
- Implement program for MS4 infrastructure maintenance to reduce the discharge of pollutants
- Enclose all road salt storage piles or facilities and implemented winter road maintenance procedures to minimize the use of road salt
- Review as-built drawings for new and redevelopment to ensure compliance with post construction bylaws, regulations, or regulatory mechanism consistent with permit requirements
- Inspect all permittee owned treatment structures (excluding catch basins)
- Identify additional permittee-owned properties that could potentially be modified or retrofitted with BMPs to reduce impervious areas so that the permittee maintains a minimum of 5 sites in their inventory, until such a time when the permittee has less than 5 sites remaining

Provide any additional details on activities planned for permit year 5 below:

Part V: Certification of Small MS4 Annual Report 2021

40 CFR 144.32(d) Certification

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, I certify that the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.


Name:

Neather Lemieux

Title:

Town Manager

Signature:



Date:

9/28/22

*[Signatory may be a duly authorized
representative]*